

No.	Items of work	Unit	Rate	Quantity	Cost
<i>Constructing a masonry sluice with cill R. L. 46'00.</i>					
1	Earth work cutting bund ...	C.yd.		86	
2	Stone jelly concrete in surki mortar ..	C.ft.		358	
3	Burnt stone in surki mortar ...	"		383	
4	Burnt stone slabs (4½" to 6") thick ...	S.ft.		236	
5	Deep pointing with cement mortar ..	Sqr.		494	
6	Refilling earth work tamping and etc., complete.	C.yd.		95	
7	Drilling holes in orifice slabs ..	"		L.S.	
8	Providing teakwood plug with locking arrangements.	"		L.S.	
<i>Constructing a masonry weir 215' long at R.L. 50'00.</i>					
1	Earth work excavation ...	C.yd.		64	
2	Stone jelly concrete in surki mortar ...	C.ft.		575	
3	Burnt stone in surki mortar ..	"		470	
4	Burnt stone slabs 4½" to 6" thick ...	S.ft.		259	
5	Pointing with cement mortar ...	Sqr.		10'27	
6	Providing Joggle joints at 8 feet intervals..	No.		27	
7	New stone work with jelly backing and wedging.	C.yd.		88	
8	Earth work to flank with consolidation ...	C.yd.		117	
9	Turfing for training bank ...	S.yd.		93	

K. NARAYANA IYENGAR,
Executive Engineer.

GOVERNMENT OF MYSORE, STORES PURCHASE COMMITTEE,
BANGALORE.

No. S. P. C. 11677-87, dated 4th December 1933.

To

The Firms dealing in Machinery.

Enquiry No. 676.

SHEARING MACHINE.

SUBJECT

DEAR SIRs,

Please intimate your best price and earliest time of delivery for the following:—

One Shearing Machine, suitable for cutting sheets of ½" thick, iron 5/8" thick, round and square iron 1" thick.

Detailed specifications for the machine offered should be furnished in your tender, which should be accompanied by illustrated pamphlets relating to the equipment.

The price to be quoted should be for delivery F.O.R., Maddur Mysore Railways.

The enquiry will close on the 20th December 1933.

No. S. P. C. 11745-54, dated 5th December 1933.

To

The Furniture Contractors.

Enquiry No. 679.

GENTLEMEN,

Please intimate your best present day prices for articles of furniture noted below for delivery free at the Office of the School Board Officer, Visveswarapuram, Bangalore City.

Your quotation should be subject to the conditions of contract enclosed and should reach this Office by 18th December 1933.

SCHEDULE OF ARTICLES.

Teakwood planks 6 ft. x 14" x 1" with battens 100 For free delivery at the School Board Office, Visveswara-

No. S. P. C. 11741-44, dated 5th December 1933.

Enquiry No. 678.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed "Quotations for Harmoniums" with the above enquiry Number.

This enquiry will be closed on the 18th December 1933.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted	Time of delivery
			F. O. R.	
	Harmoniums, hand teakwood, three octs, German reeds, leather bellows, Madhura keys, with dealwood outer box lock and key.	2	Free delivery at the Office of the School Board Officer, Visveswarapuram, Bangalore City.	

No. S.P.C. 11831-41, dated 5th December 1933.

The Firms dealing in Surgical Instruments.

Enquiry No. 680.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the form printed below.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellation of the order and purchases being made at your expense from other sources in addition to the levy of a penalty of 3 per cent of the value of the order as and by way of liquidated damages. In such an event, the Stores Purchase Committee reserve the right to remove your name from the list of approved firms.

The quotations should be superscribed Quotations for "Stethoscopes" with the above enquiry number.

This enquiry will be closed on the 22nd December 1933.

Schedule.

Item No.	Description of material offered	Quantity	Price quoted	Time of delivery
			F. O. R.	
	Binaural Stethoscope, with original patent revolving chest-piece. This Revolving chest piece is fitted on one side with Phonendoscopic end for general use and on the other side with small Ebonite mount for intercostal spaces. By revolving the end to certain angles with the metal tubes, the volume of sound can be graduated at will. (Catalogue of Bole Brothers, Bombay, No. 2 Fig. No. 2244).	70	Bangalore	

No. S. P. C. 11729-38, dated 7th December 1933.

To

The Firms Dealing in Electric Lift.

Enquiry No. 677.

SUBJECT:—

ELECTRIC LIFT.

DEAR SIRs,

I write to request you to intimate your best price and earliest time of delivery for one Electric Lift conforming to the attached brief specifications.

A copy of the drawing showing the elevation and the plan of the building where the lift is proposed to be installed can be had on application.

Detailed specifications relating to the lift offered should be furnished in your tender which should be accompanied by preliminary drawings and complete literature describing the equipment offered.

In case you are agreeable to hand over the Electric Lift duly erected and installed, your charges for the same should be given separately.

The price to be quoted should be for delivery both C. I. F., Madras and F. O. R., Bangalore.

This enquiry will close on the 20th January 1934.

SPECIFICATION OF ELECTRIC LIFT FOR THE MATERNITY HOSPITAL, BANGALORE.

1. The lift should be fully automatic, capable of carrying six persons at a time or a patient on a stretcher with two persons.

inside size of the lift to be 9 ft. x 5 ft. x 6' 6" high.

2. The lift has to serve from down floor to 2nd floor, a distance of about 15 ft. The body of the lift should be of the best wood painted with white enamel to conform to the surrounding walls of the hospital. The car should be of the size mentioned in para (1) and should be provided with collapsible gate with automatic locking arrangement. The car entrance may be only one and should be on the 5 ft. side.

3. The driving motor should be suitable for running on 3 phase, 220 volts, 25 cycle power system and should be of the protected type. It should be designed to run with an overload of 50 per cent for short periods with a rise of temperature not exceeding 40°C above an ambient temperature of 35°C.

4. The landing gate should be provided at both the floors with mechanical and electrical inter-locks and safety devices. The car should be provided with necessary safety gear to arrest its motion in case of failure of rope.

Silent gate with metal to fibre bushes should be fitted in the landing entrance.

The driving equipment should be provided with suitable brakes to arrest the motion of the car immediately power supply fails.

5. The equipment should be fully automatic with control switches inside the car. The car should be provided with a light and necessary alarm bell; signals should be provided on both the floors.

The control equipment, driving-gear and the winding engine are to be located on the terrace of the first floor.

6. As this equipment is for an hospital, it is essential that the operation of the lift should be as noiseless as possible.

An alternative quotation, including charges for erection may be furnished.

A complete set of preliminary drawings and literature should be submitted with the quotation, giving full details of the equipment offered. The equipment offered should be complete, including car, rope-driving, mechanism, guide-rods for the car and guide rods for the balanced weights and self-supporting structure. It should include a simple plain enclosure of expanded metal on the three sides that are not bounded by the wall.

No. S. P. C. 11926-30, dated 9th December 1933.

To

The Firms dealing in Laboratory Materials.

Enquiry No. 681.

DEAR SIR/GENTLEMEN,

Please be good enough to intimate your best prices and the earliest time of delivery for the materials described in the schedule printed overleaf.

It should be distinctly understood that the acceptance by us of your quotation will be subject to the following conditions:—

Withdrawal from the quotation after it is accepted or failure to make the supply within the specified time or according to specifications will entail cancellations of the order and purchases being made at your expense from other sources in addition to the levy of a penalty

The quotations should be superscribed "Quotations for Laboratory materials for Zenana Normal School" with the above Enquiry Number.

This enquiry will be closed on the 25th December 1933.

Schedule.

Item No.	Description of materials offered	Quantity	Price quoted	Time of delivery
			F. O. R.	
Catalogue No.				
2124 C.	Set of 20 Geometrical figures polished brass in box.	1 set		
2551 C.	Spirit levels—4" in size	1		
3369 F.	Thermometer Tube made of start glass with cup at top.	1		
4007 F.	New Practical Microscope	1		
8423 F.	Flat bottomed flasks 6, capacity 50 cc.	6		
8044 E.	Beehive shelves of white porcelain best English glazed inside and outside diameter 4".	1		
8117 F.	Spirit lamp, Spherical form, 350 cc. in capacity	1		
8140	Automatic petrol stove (Reg. No. 903)	1		
8307 C.	Steel cork borers set of 3	3		
8290 F.	Corks-assorted sizes per gross	1		
8529 F.	Files, Triangular for cutting glass tubing, large	One dozen		
8847 F.	Boiling glass, 6 x 1 inch	"		
8951 F.	Neutral Hind watch glasses	6		
2751 E.	Aneroid Barometer 5" diameter	1		
1202 C.	Maps illustrating the leaves, flowers, roots, stems and fruits in size 20" x 30" each Urdu.	5		
1203 C.	Natural History plates description in Urdu: Bat, Dog, Frog, Cow, Dove, Cat and Fly and other insects.	7		
5344 C.	Gold leaf Electroscope, Bennets Model	1		
5603 F.	Leclanches's Cell, Superior, Capacity 2 pints	1		
5604 F.	Dry Cell, 15 Volts, Standard size	1		

N.B.—(1) The Catalogue reference given above is that of the Oriental Science Apparatus Workshop.

(2) Quotation for individual items will not be considered.

Yours faithfully,

V. VEDAVYASACHARYA,

Secretary,

Stores Purchase Committee.

OFFICE OF THE RESIDENCY SURGEON, CIVIL AND MILITARY STATION,
BANGALORE.

Notice.

Notice is hereby given that sealed tenders will be received on Monday the 15th January 1934 by the Residency Surgeon, Bangalore, for the supply by contract of all articles of diet, etc., required for the use of the Bowring, Lady Curzon, Gosha and Isolation Hospitals, Bangalore, during the period from 1st April 1934 to 31st March 1935.

Forms of tender (which also contain the specifications and conditions on which tenders will be considered and contracts let) can be had at the Office of the Residency Surgeon, Bowring Civil Hospital, Bangalore, on any day except Sundays between 8 A.M. and 12 Noon.

Each tender must be accompanied by a deposit (in Government Promissory Notes or Bank Receipts) as earnest deposit money of the amount noted against each group. When several groups are tendered for, one Bank Receipt for the total amount of earnest deposit money will be received. This earnest money will be returned to unsuccessful tenderers immediately and to the others as soon as they have lodged the security mentioned in Para 9 of the Tender Form. No cash will be received. In default of such deposit, the tender will be rejected.